

Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

Foodmax Clean Bio

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

1.2

Foodmax Clean Bio

Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Chemical cleaning products

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Matrix Specialty Lubricants Typograaf 16 6921 VB Duiven - The Netherlands Phone.: +31316740850 lab@matrix-lubricants.com https://www.matrix-lubricants.com

1.4 Emergency telephone number: 0300 311 22 33 Only for professional emergency responders

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Irrit. 2: Skin irritation, Category 2, H315

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Causes serious eye damage Causes skin irritation

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Do not breathe dust/fume/gas/mist/vapours/spray

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN: Wash with plenty of water

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center/doctor

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Miscellaneous products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:



Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

Foodmax Clean Bio

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification		Chemical name/Classification	Concentrati
CAS: 68439-46-3	Alcohol ethoxylate (C9-	C11) ⁽¹⁾ Self-classified	
EC: 614-482-0 Index: Non-applicable REACH01-2119980051-45- : XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	1 - <5 %
CAS: 141-43-5	2-aminoethanol ⁽¹⁾	Self-classified	
EC: 205-483-3 Index: 603-030-00-8 REACH01-2119486455-28- : XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H312+H332; Aquatic Chronic 3: H412; Skin Corr. 1B: H314; STOT SE 3: H335 - Danger	1 - <5 %
CAS: 7320-34-5	Tetrapotassium pyrophosphate ⁽¹⁾ Self-classifie		
EC: 230-785-7 Index: Non-applicable REACH01-2119489369-18- : XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	1 - <5 %
CAS: 863679-20-3	Quartenary C12-C14 al	kyleamine ethoxylate, chloride ⁽¹⁾ Self-classified	
EC: Non-applicable Index: Non-applicable REACHNon-applicable :	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1 - <5 %
CAS: 7173-51-5	Didecyldimethylammoni	ium chloride ⁽¹⁾ ATP CLP00	
EC: 230-525-2 Index: 612-131-00-6 REACH01-2119945987-15- : XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Corr. 1B: H314 - Danger	<1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 8, 11, 12, 15 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES



SECTION 5: FIREFIGHTING MEASURES (continued)

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

- C.- Technical recommendations to prevent ergonomic and toxicological risks
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage



SECTION 7: HANDLING AND STORAGE (continued)

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

Identification	Environmental limits			
2-aminoethanol	IOELV (8h)	1 ppm	2.5 mg/m ³	
CAS: 141-43-5 EC: 205-483-3	IOELV (STEL)	3 ppm	7.6 mg/m ³	

DNEL (Workers):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
2-aminoethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 141-43-5	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 205-483-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	3,3 mg/m ³
Tetrapotassium pyrophosphate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7320-34-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 230-785-7	Inhalation	Non-applicable	Non-applicable	44,08 mg/m ³	Non-applicable
Didecyldimethylammonium chloride	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7173-51-5	Dermal	Non-applicable	Non-applicable	8,6 mg/kg	Non-applicable
EC: 230-525-2	Inhalation	Non-applicable	Non-applicable	18,2 mg/m ³	Non-applicable

DNEL (General population):

		Short	Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
2-aminoethanol	Oral	Non-applicable	Non-applicable	3,75 mg/kg	Non-applicable
CAS: 141-43-5	Dermal	Non-applicable	Non-applicable	0,24 mg/kg	Non-applicable
EC: 205-483-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	2 mg/m ³
Tetrapotassium pyrophosphate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7320-34-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 230-785-7	Inhalation	Non-applicable	Non-applicable	10,87 mg/m ³	Non-applicable

PNEC:

Identification				
2-aminoethanol	STP	100 mg/L	Fresh water	0,085 mg/L
CAS: 141-43-5	Soil	0,035 mg/kg	Marine water	0,0085 mg/L
EC: 205-483-3	Intermittent	0,025 mg/L	Sediment (Fresh water)	0,425 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0425 mg/kg
Tetrapotassium pyrophosphate	STP	50 mg/L	Fresh water	0,05 mg/L
CAS: 7320-34-5	Soil	Non-applicable	Marine water	0,005 mg/L
EC: 230-785-7	Intermittent	0,5 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Didecyldimethylammonium chloride	STP	0,595 mg/L	Fresh water	0,002 mg/L
CAS: 7173-51-5	Soil	1,4 mg/kg	Marine water	0,0002 mg/L
EC: 230-525-2	Intermittent	0,00029 mg/L	Sediment (Fresh water)	2,82 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,28 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Picto	gram	PPE	Labelling	CEN Standard	Remarks
Mandat	bory hand action	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374.

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2001, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345 y EN 13832-1

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
	ANSI Z358-1 ISO 3864-1:2002	() () () () () () () () () () () () () (DIN 12 899 ISO 3864-1:2002
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	2 % weight
V.O.C. density at 20 °C:	Non-applicable
Average carbon number:	2
Average molecular weight:	61,5 g/mol



	TION 9: PHYSICAL AND CHEMICAL PRC		
.1	Information on basic physical and chemical prop		
	For complete information see the product datash	eet.	
	Appearance:		
	Physical state at 20 °C:	Liquid	
	Appearance:	Oily	
	Colour:	White	
	Odour:	Characteristic	
	Odour threshold:	Non-applicable *	
	Volatility:		
	Boiling point at atmospheric pressure:	171 °C	
	Vapour pressure at 20 °C:	Non-applicable *	
	Vapour pressure at 50 °C:	2,41 (0,32 kPa)	
	Evaporation rate at 20 °C:	Non-applicable *	
	Product description:		
	Density at 20 °C:	Non-applicable *	
	Relative density at 20 °C:	1,02	
	Dynamic viscosity at 20 °C:	Non-applicable *	
	Kinematic viscosity at 20 °C:	Non-applicable *	
	Kinematic viscosity at 40 °C:	Non-applicable *	
	Concentration:	Non-applicable *	
	pH:	10,6 - 11,4	
	Vapour density at 20 °C:	Non-applicable *	
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *	
	Solubility in water at 20 °C:	Non-applicable *	
	Solubility properties:	Soluble	
	Decomposition temperature:	Non-applicable *	
	Melting point/freezing point:	Non-applicable *	
	Explosive properties:	Non-applicable *	
	Oxidising properties:	Non-applicable *	
	Flammability:		
	Flash Point:	Non Flammable (>60 °C)	
	Flammability (solid, gas):	Non-applicable *	
	Autoignition temperature:	Non-applicable *	
	Lower flammability limit:	Non-applicable *	
	Upper flammability limit:	Non-applicable *	
	Explosive:		
	Lower explosive limit:	Non-applicable *	
	Upper explosive limit:	Non-applicable *	
.2	Other information:		
	Surface tension at 20 °C:	Non-applicable *	
	Refraction index:	Non-applicable *	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:



SECTION 10: STABILITY AND REACTIVITY (continued)

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3. IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Ad	cute toxicity	Genus
2-aminoethanol	LD50 oral	500 mg/kg	Rat
CAS: 141-43-5	LD50 dermal	1025 mg/kg	Rabbit
EC: 205-483-3	LC50 inhalation	11 mg/L (4 h)	Rat
Tetrapotassium pyrophosphate	LD50 oral	Non-applicable	
CAS: 7320-34-5	LD50 dermal	4640 mg/kg	Rabbit
EC: 230-785-7	LC50 inhalation	Non-applicable	
Alcohol ethoxylate (C9-C11)	LD50 oral	1400 mg/kg	Rat
CAS: 68439-46-3	LD50 dermal	Non-applicable	
EC: 614-482-0	LC50 inhalation	Non-applicable	
Quartenary C12-C14 alkyleamine ethoxylate, chloride	LD50 oral	500 mg/kg (ATEi)	
CAS: 863679-20-3	LD50 dermal	Non-applicable	
EC: Non-applicable	LC50 inhalation	Non-applicable	
Didecyldimethylammonium chloride	LD50 oral	500 mg/kg	Rat
CAS: 7173-51-5	LD50 dermal	Non-applicable	
EC: 230-525-2	LC50 inhalation	Non-applicable	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Contains phosphates. Excessive discharge may cause eutrophication.

12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Alcohol ethoxylate (C9-C11)	LC50	113 mg/L (96 h)	QSAR	Fish
CAS: 68439-46-3	EC50	Non-applicable		
EC: 614-482-0	EC50	Non-applicable		
2-aminoethanol	LC50	349 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 141-43-5	EC50	65 mg/L (48 h)	Daphnia magna	Crustacean
EC: 205-483-3	EC50	22 mg/L (72 h)	Scenedesmus subspicatus	Algae
Didecyldimethylammonium chloride	LC50	0.33 mg/L (96 h)	Pimephales promelas	Fish
CAS: 7173-51-5	EC50	0.06 mg/L (48 h)	Daphnia magna	Crustacean
EC: 230-525-2	EC50	Non-applicable		



SECTION 12: ECOLOGICAL INFORMATION (continued)

12.2 Persistence and degradability:

	5	1.1.11	D : 1	1.111
Identification	Deg	radability	Biodegrada	ability
2-aminoethanol	BOD5	Non-applicable	Concentration	20 mg/L
CAS: 141-43-5	COD	Non-applicable	Period	21 days
EC: 205-483-3	BOD5/COD	Non-applicable	% Biodegradable	90 %
Didecyldimethylammonium chloride	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 7173-51-5	COD	Non-applicable	Period	28 days
EC: 230-525-2	BOD5/COD	Non-applicable	% Biodegradable	0 %

12.3 Bioaccumulative potential:

Identification	Bioaccur	nulation potential
2-aminoethanol	BCF	3
CAS: 141-43-5	Pow Log	-1.31
EC: 205-483-3	Potential	Low
Didecyldimethylammonium chloride	BCF	81
CAS: 7173-51-5	Pow Log	4.66
EC: 230-525-2	Potential	Moderate

12.4 Mobility in soil:

Identification	Absorp	tion/desorption	Volat	tility
2-aminoethanol	Koc	0.27	Henry	3,7E-5 Pa⋅m³/mol
CAS: 141-43-5	Conclusion	Very High	Dry soil	No
EC: 205-483-3	Surface tension	5,025E-2 N/m (25 °C)	Moist soil	No
Didecyldimethylammonium chloride	Кос	440000	Henry	Non-applicable
CAS: 7173-51-5	Conclusion	Immobile	Dry soil	Non-applicable
EC: 230-525-2	Surface tension	Non-applicable	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION



SECTION 14: TRANSPORT INFORMATION (continued)

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Didecyldimethylammonium chloride.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Didecyldimethylammonium chloride (Product-type 1, 2, 3, 4, 6, 8, 10, 11, 12)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Contains Didecyldimethylammonium chloride

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	% (w/w) < 5
Phosphates	% (w/w) < 5
Cationic surfactants	% (w/w) < 5

Preservation agents: Didecyldimethylammonium chloride (DIDECYLDIMONIUM CHLORIDE).

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:



I	Non-applicable
•	Texts of the legislative phrases mentioned in section 2:
	H318: Causes serious eve damage
	H315: Causes skin irritation
•	Texts of the legislative phrases mentioned in section 3:
	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the
	individual components which appear in section 3
	CLP Regulation (EC) No 1272/2008:
	Acute Tox. 4: H302 - Harmful if swallowed
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
	Aquatic Acute 1: H400 - Very toxic to aquatic life
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects
	Eye Dam. 1: H318 - Causes serious eye damage
	Eye Irrit. 2: H319 - Causes serious eye irritation
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage
	Skin Irrit. 2: H315 - Causes skin irritation
,	STOT SE 3: H335 - May cause respiratory irritation
	Advice related to training:
	Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their
	comprehension and interpretation of this safety data sheet, as well as the label on the product.
l	Principal bibliographical sources:
l	http://echa.europa.eu
	http://eur-lex.europa.eu
,	Abbreviations and acronyms:
,	ADR: European agreement concerning the international carriage of dangerous goods by road
	IMDG: International maritime dangerous goods code
	ATA: International Air Transport Association
	ICAO: International Civil Aviation Organisation
	COD: Chemical Oxygen Demand
	BOD5: 5-day biochemical oxygen demand
	BCF: Bioconcentration factor
	LD50: Lethal Dose 50 LC50: Lethal Concentration 50
	EC50: Effective concentration 50
	Log-POW: Octanol-water partition coefficient
	Koc: Partition coefficient of organic carbon
1	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.